



**Marshfield High School and Columbus Catholic High School Combined Results  
All Health Priorities**

**Youth Risk Behavior Survey (YRBS) 2017**

Survey Question	Marshfield <sup>1</sup>	Marshfield <sup>2</sup>	Marshfield <sup>3</sup>	Marshfield <sup>4</sup>	Marshfield <sup>5</sup>	Wood Co <sup>6</sup>	WI <sup>7</sup>	US <sup>8</sup>
	2011	2012	2013	2015	2017	2017	2013	2015
<b>Alcohol</b>								
Those who had at least 1 drink of alcohol on at least 1 day during their <u>life</u> .	61.5%	64.6%	69.4%	55.4%	50.7%	56.1%	65.9%	63.2%
Those who drank alcohol (other than a few sips) for the first time <u>before age 13 years</u> .	19.1%	23.2%	18.6%	9.4%	10.8%	13.4%	14.6%	17.2%
<i>Frequency of use: Those who had at least 1 drink of alcohol on at least 1 day during the <u>past 30 days</u>.</i>	40.9% <i>More than a few sips</i>	32.2% <i>More than a few sips</i>	44.4% <i>More than a few sips</i>	32.3%	29.2%	30.3%	32.7%	32.8%
Those who had <u>5 or more drinks</u> of alcohol in a row, that is, within a couple of hours 1 or more days within the <u>past 30 days</u> .	21.7%	15.4%	25.5%	18.0%	13.5%	15.2%	18.4%	17.7%
<b>Those reporting use</b> who drank alcohol on school property during the <u>past 30 days</u> .	NA	NA	NA	NA	1.7%	1.4%	NA	NA
<b>Those reporting use</b> who drank alcohol at a bar, restaurant, club or public event during the <u>past 30 days</u> .	NA	NA	NA	NA	3.1%	1.9%	NA	NA
<b>Those reporting use</b> obtained alcohol from someone else within the <u>past 30 days</u> .	37.7% <i>Person over 21</i>	44.2% <i>Person over 21</i>	47.3% <i>Person over 21</i>	51.4%	38.4%	41.9%	34.7%	44.1%
<b>Those reporting use</b> obtained alcohol from a convenience store, grocery store, bar or paid someone to purchase it for them within the <u>past 30 days</u> .	34.1%	32.0%	28.4%	33.6%	32.6%	5.1%	NA	NA
Perception of risk or harm: Those who think people have a great or moderate risk of harming themselves (physically or in other ways) if they have <u>5 or more drinks</u> of alcohol in a row within a couple of hours, once or twice a week.	79.6%	84.6%	82.2%	87.0%	80.3%	73.7%	NA	NA
Those who somewhat disapprove or strongly disapprove of someone their age having 1 or 2 drinks of an alcoholic beverage nearly every day.	NA	NA	NA	NA	72.1%	65.8%	NA	NA

*Analysis supported by Marshfield Clinic, Marshfield Area Coalition for Youth (MACY), Healthy People Wood County and Wood County Health Department*

**Shading indicates the negative trend and local rate above US, Wisconsin and/or Wood County if available.**

*Four Drug Free Communities (DFC) Substance Use Measures are italicized.*

NA = Not applicable and/or question was not available

Survey Question	Marshfield <sup>1</sup>	Marshfield <sup>2</sup>	Marshfield <sup>3</sup>	Marshfield <sup>4</sup>	Marshfield <sup>5</sup>	Wood Co <sup>6</sup>	WI <sup>7</sup>	US <sup>8</sup>
	2011	2012	2013	2015	2017	2017	2013	2015
<b>Alcohol</b>								
<i>Perception of risk or harm: Those who think people have a great or moderate risk of harming themselves (physically or in other ways) if they take 1 or 2 drinks of an alcoholic beverage nearly every day.</i>	63.5%	73.2%	74.2%	78.8%	58.2%	51.7%	NA	NA
<i>Perception of parental disapproval: Those who think their parents would feel it is very wrong or wrong to have 1 or 2 alcoholic beverages nearly every day.</i>	65.4%	71.9%	85.9%	89.4%	85.1%	79.1%	NA	NA
<i>Perception of peer disapproval: Those who think their friends feel it is very wrong or wrong to have 1 or 2 alcoholic beverages nearly every day.</i>	NA	71.9%	56.1%	63.9%	72.1%	65.5%	NA	NA
<b>Tobacco</b>								
Those who tried smoking a whole cigarette during their <u>life</u> .	NA	NA	NA	24.3%	15.2%	18.8%	33.2%	32.3%
Those who smoked a whole cigarette for the first time <u>before age 13 years</u> .	NA	NA	NA	6.0%	4.8%	5.7%	20.0%	6.6%
Those who tried smoking, even 1 or 2 puffs, during their <u>life</u> .	38.7%	29.7%	35.1%	NA	22.0%	27.2%	NA	NA
Those who tried smoking a cigarette, even 1 or 2 puffs, <u>before age 13 years</u> .	13.8%	11.1%	11.2%	NA	7.4%	9.7%	NA	NA
<i>Frequency of use: Those who smoked cigarettes on at least 1 day in the <u>past 30 days</u>.</i>	20.2%	13.8%	16.5%	13.9%	8.9%	10.7%	11.8%	10.8%
Those who used electronic cigarettes or e-cigs on at least 1 day during the <u>past 30 days</u> .	NA	NA	NA	23.6%	9.4%	10.8%	NA	24.1%
Those who used chewing tobacco, snuff or dip on at least 1 day during the <u>past 30 days</u> .	14.6%	9.3%	11.2%	7.2%	3.2% On school property	5.1%	8.0%	7.3%
Those who smoked cigars, cigarillos or little cigars on at least 1 day during the <u>past 30 days</u> .	16.2%	10.6%	13.9%	9.9%	6.2%	8.3%	11.5%	10.3%
<b>Those reporting use</b> tried to quit using all tobacco products including cigarettes, cigars, smokeless tobacco, shisha or hookah tobacco, and electronic vapor products in the <u>past 12 months</u> .	NA	53.3% Smoking only	57.8% Smoking only	43.6% Smoking only	48.7%	40.1%	45.6%	45.4%
<b>Those reporting use</b> purchased cigarettes from a store in the <u>past 30 days</u> .	30.3%	23.0%	45.6%	21.2%	31.6%	30.5%	NA	12.6%

Shading indicates the negative trend and local rate above US, Wisconsin and/or Wood County if available.

Four Drug Free Communities (DFC) Substance Use Measures are italicized.

NA = Not applicable and/or question was not available

Survey Question	Marshfield <sup>1</sup>	Marshfield <sup>2</sup>	Marshfield <sup>3</sup>	Marshfield <sup>4</sup>	Marshfield <sup>5</sup>	Wood Co <sup>6</sup>	WI <sup>7</sup>	US <sup>8</sup>
	2011	2012	2013	2015	2017	2017	2013	2015
<b>Tobacco</b>								
<i>Perception of risk or harm: Those who think there is a great or moderate risk of harming themselves if they smoke 1 or more packs of cigarettes per day.</i>	79.3%	88.2%	91.6%	91.6%	87.0%	79.4%	NA	NA
<i>Perception of parental disapproval: Those who think their parents would feel it is very wrong or wrong to smoke tobacco.</i>	78.8%	93.2%	89.1%	89.4%	90.0%	87.9%	NA	NA
<i>Perception of peer disapproval: Those who think their friends feel it is very wrong or wrong for them to smoke tobacco.</i>	NA	76.6%	54.4%	63.3%	79.0%	72.8%	NA	NA
<b>Marijuana</b>								
Those who used marijuana during their <u>life</u> .	27.1%	21.3%	28.8%	26.8%	23.1%	25.7%	31.2%	38.6%
Those who tried marijuana for the first time <u>before age 13 years</u> .	5.1%	4.0%	3.4%	4.8%	3.5%	4.7%	6.3%	7.5%
<i>Frequency of use: Those who used marijuana 1 or more times during the <u>past 30 days</u>.</i>	18.0%	11.3%	17.5%	14.7%	13.3%	14.5%	17.3%	21.7%
Frequency of use: Those who used synthetic marijuana 1 or more times in the <u>past 30 days</u> .	NA	3.5%	5.6%	2.1%	2.1%	3.0%	NA	NA
<i>Perception of risk or harm: Those who think people have a great or moderate risk of harming themselves if they smoke marijuana once or twice a week.</i>	64.5% Regularly	68.9%	60.9%	58.5%	56.2%	51.0%	NA	NA
<i>Perception of parental disapproval: Those who think their parents would feel it is very wrong or wrong to smoke marijuana.</i>	85.6%	91.3% Once or twice/ week	91.9%	90.7%	86.7%	83.3%	NA	NA
<i>Perception of peer disapproval: Those who think their friends feel it is very wrong or wrong for them to smoke marijuana.</i>	NA	68.4%	61.7%	63.9%	64.8%	60.2%	NA	NA
<b>Prescription Drugs</b>								
Those who have taken painkillers, such as OxyContin, Percocet or Vicodin, without a doctor's prescription during their <u>life</u> .	NA	NA	NA	NA	9.3%	10.6%	NA	NA
Those who have taken painkillers, such as OxyContin, Percocet or Vicodin, without a doctor's prescription in the <u>past 30 days</u> .	11.5%	5.7%	6.8%	5.8%	5.5%	6.3%	NA	NA
Those who have used barbiturates without a doctor's prescription in the <u>past 30 days</u> .	NA	NA	NA	NA	1.6%	3.0%	NA	NA
<i>Those who used prescription drugs without a doctor's prescription in the <u>past 30 days</u>.</i>	NA	4.8%	6.8%	7.2%	6.6%	8.9%	NA	16.8%

Shading indicates the negative trend and local rate above US, Wisconsin and/or Wood County if available.

Four Drug Free Communities (DFC) Substance Use Measures are italicized.

NA = Not applicable and/or question was not available

Survey Question	Marshfield <sup>1</sup>	Marshfield <sup>2</sup>	Marshfield <sup>3</sup>	Marshfield <sup>4</sup>	Marshfield <sup>5</sup>	Wood Co <sup>6</sup>	WI <sup>7</sup>	US <sup>8</sup>
	2011	2012	2013	2015	2017	2017	2013	2015
<b>Prescription Drugs</b>								
<b>Those reporting use</b> were offered, sold or given prescription drugs without a doctor's prescription.	68.3%	71.1%	72.4%	68.2%	32.3% Last time they used	NA	NA	NA
<i>Perception of risk or harm: Those who think people have a great or moderate risk of harming themselves if they use prescription drugs without a doctor's prescription.</i>	79.3%	88.3%	87.8%	91.2%	90.0%	84.3%	NA	NA
<i>Perception of parental disapproval: Those who think their parents would feel it is very wrong or wrong to use prescription drugs without a doctor's prescription.</i>	88.5%	95.2%	95.6%	97.3%	95.4%	94.3%	NA	NA
<i>Perception of peer disapproval: Those who think their friends feel it is very wrong or wrong to use prescription drugs without a doctor's prescription.</i>	NA	NA	82.3%	80.0%	97.7%	81.9%	NA	NA
<b>Other Drugs</b>								
Those who have taken over-the-counter drugs to get high during their <u>life</u> .	NA	NA	NA	NA	5.0%	5.6%	NA	NA
Those who have taken over-the-counter drugs to get high in the <u>past 30 days</u> .	8.6%	5.7%	5.0%	3.8%	2.0%	3.0%	NA	NA
Those who have used any form of cocaine, including powder, crack or freebase during their <u>life</u> .	7.6%	4.1%	4.7%	4.2%	2.5%	2.8%	4.3%	5.2%
Those who used any form of cocaine, including powder, crack or freebase in the <u>past 30 days</u> .	5.7%	2.9%	3.7%	2.2%	1.9%	2.0%	NA	NA
Those who sniffed glue, breathed the contents of aerosol spray cans or inhaled any paints or sprays to get high during their <u>life</u> .	13.8%	5.9%	5.3%	6.3%	7.5%	6.6%	5.9%	7.0%
Those who used methamphetamines in the <u>past 30 days</u> .	NA	NA	NA	NA	1.8%	2.8%	NA	NA
Those who used heroin (also called smack, junk or China White) during their <u>life</u> .	5.5%	2.9%	2.5%	2.6%	1.6%	1.8%	NA	2.1%
Those who used a needle to inject an illegal drug into their body during their <u>life</u> .	NA	NA	NA	NA	1.6%	1.4%	NA	NA
Those who were offered, sold or given illegal drugs on school property in the <u>past 12 months</u> .	12.5%	20.1%	13.0%	13.1%	5.7%	6.4%	18.3%	21.7%

Shading indicates the negative trend and local rate above US, Wisconsin and/or Wood County if available.

Four Drug Free Communities (DFC) Substance Use Measures are italicized.

NA = Not applicable and/or question was not available

Survey Question	Marshfield <sup>1</sup>	Marshfield <sup>2</sup>	Marshfield <sup>3</sup>	Marshfield <sup>4</sup>	Marshfield <sup>5</sup>	Wood Co <sup>6</sup>	WI <sup>7</sup>	US <sup>8</sup>
	2011	2012	2013	2015	2017	2017	2013	2015
<b>Other Drugs</b>								
Students who reported attending school under the influence of alcohol or other illegal drugs, such as marijuana or cocaine, during the <u>past 12 months</u> .	16.7%	10.1%	12.7%	9.0%	8.9%	10.8%	NA	NA
<b>Bullying</b>								
Those who were bullied on school property during the <u>past 12 months</u> .	NA	22.5%	21.8%	16.9%	16.5%	19.1%	22.7%	20.2%
Those who had been electronically bullied, including being bullied through e-mail, chat rooms, instant messaging, web sites or texting during the <u>past 12 months</u> .	NA	16.3%	16.8%	15.0%	14.9%	16.8%	17.6%	15.5%
Those who strongly agree or agree that harassment, bullying and violence are a problem at school.	34.6%	40.7%	35.9%	42.2%	39.0% Bullying	43.4% Bullying	NA	NA
					13.2% Violence	25.0% Violence		
<b>Dietary Behaviors</b>								
Those who were trying to lose weight.	39.3%	38.3%	43.2%	44.3%	45.0%	44.2%	42.8%	45.6%
Those who ate fruit 1 or more times a day in the <u>past 7 days</u> .	33.5%	39.6%	37.6%	44.0%	39.4%	39.6%	NA	NA
Those who ate vegetables (other than potatoes) 1 or more times during the <u>past 7 days</u> .	35.8% Including potatoes	41.4% Including potatoes	43.2% Including potatoes	44.6% Including potatoes	41.8%	40.4%	NA	61.0% Including potatoes
Those who did not eat breakfast on any day in the <u>past 7 days</u> .	19.3%	12.3%	15.8%	12.7%	15.7%	16.2%	10.7%	13.8%
Those who went hungry because there was not enough food in the home during the <u>past 30 days</u> .	NA	21.4%	19.3%	22.3%	20.4%	12.1%	NA	NA
Those who drank a can, bottle or glass of soda or pop (not including diet soda or diet pop) at least 1 time per day during the <u>past 7 days</u> .	28.4%	20.8%	14.2%	17.7%	14.1%	18.1%	19.6%	20.4%
Those who drank a can, bottle or glass of diet soda or pop, such as Diet Coke, Diet Pepsi or Sprite Zero, at least 1 time per day during the <u>past 7 days</u> .	NA	NA	NA	NA	20.1%	20.1%	NA	NA
Those who drank a can, bottle or glass of a sugar-sweetened beverage such as lemonade, sweetened tea or coffee drinks, flavored milk, Snapple or Sunny Delight (not counting soda or pop, energy drinks or 100% fruit juice) at least 1 time per day during the <u>past 7 days</u> .	NA	NA	NA	NA	14.9%	15.4%	NA	NA

Shading indicates the negative trend and local rate above US, Wisconsin and/or Wood County if available.

Four Drug Free Communities (DFC) Substance Use Measures are italicized.

NA = Not applicable and/or question was not available

Survey Question	Marshfield <sup>1</sup>	Marshfield <sup>2</sup>	Marshfield <sup>3</sup>	Marshfield <sup>4</sup>	Marshfield <sup>5</sup>	Wood Co <sup>6</sup>	WI <sup>7</sup>	US <sup>8</sup>
	2011	2012	2013	2015	2017	2017	2013	2015
<b>Dietary Behaviors</b>								
Those who drank a can, bottle or glass of energy drink, such as red bull or jolt (not counting diet energy or sports drinks such as Gatorade or PowerAde) at least 1 time per day during the <u>past 7 days.</u>	NA	NA	NA	NA	1.8%	15.4%	NA	NA
<b>Physical Activity</b>								
Those who were physically active for a total of at least 60 minutes per day on 5 or more of the <u>past 7 days.</u>	35.6%	36.1%	33.2%	45.2%	47.2%	45.5%	49.5%	48.6%
Those who watched TV 3 or more hours per day on an <u>average school day</u>	NA	NA	NA	NA	20.6%	20.1%	NA	NA
Those who watched TV, played video/ computer games or used a computer for something that was not school work 3 or more hours on an <u>average school day.</u>	41.2%	35.9%	40.1%	46.2%	40.7% Not including TV	41.8% Not including TV	22.5%	NA
<b>Sexual Health</b>								
Those who think it is important to delay having sexual intercourse until they are married.	NA	NA	NA	24.3%	23.7%	19.6%	18.7%	NA
Those whose parents or other adults in their family have talked with them about what they expect them to do or not to do when it comes to sex.	NA	NA	NA	NA	70.5%	67.7%	NA	NA
Those who had sexual intercourse during their <u>life.</u>	NA	NA	NA	35.4%	33.4%	35.3%	35.3%	41.2%
Those who had sexual intercourse for the first time <u>before age 13 years.</u>	NA	NA	NA	2.7%	2.5%	2.7%	2.6%	3.9%
Those who had sexual intercourse with 4 or more people during their <u>life.</u>	NA	NA	NA	NA	8.9%	10.3%	9.8%	11.5%
<b>Among students who were currently sexually active, those who drank alcohol or used drugs the last time they had sexual intercourse.</b>	NA	NA	NA	NA	16.4%	19.7%	NA	NA
<b>Among students who were currently sexually active, those who did not use any method to prevent pregnancy before last sexual intercourse.</b>	NA	NA	NA	5.3%	6.9%	8.6%	10.7%	13.8%
Those who have been told by a doctor or nurse that they had a sexually transmitted disease during their <u>life.</u>	NA	NA	NA	NA	1.4%	1.8%	NA	NA
Those who have been asked to send or post a sexually explicit photo of themselves during their <u>life.</u>	NA	NA	NA	NA	35.1%	36.1%	NA	NA

Shading indicates the negative trend and local rate above US, Wisconsin and/or Wood County if available.

Four Drug Free Communities (DFC) Substance Use Measures are italicized.

NA = Not applicable and/or question was not available

Survey Question	Marshfield <sup>1</sup>	Marshfield <sup>2</sup>	Marshfield <sup>3</sup>	Marshfield <sup>4</sup>	Marshfield <sup>5</sup>	Wood Co <sup>6</sup>	WI <sup>7</sup>	US <sup>8</sup>
	2011	2012	2013	2015	2017	2017	2013	2015
<b>Sexual Health</b>								
Those who have sent or posted a sexually explicit photo of themselves during their life.	NA	NA	NA	NA	18.5%	18.9%	NA	NA
Those who were physically hurt on purpose by someone they were dating or going out with during the <u>past 12 months</u> .	11.7%	7.7%	4.4%	3.7%	4.3%	6.3%	NA	9.6%
Those who reported being verbally or physically forced to have sexual intercourse during their <u>life</u> .	12.1%	7.6%	6.8%	4.8% Physically forced to take part in sexual activity	9.6%	10.8%	7.5% Physically forced to take part in sexual activity	6.7% Physically forced to take part in sexual activity
<b>Mental Health</b>								
Those who report most of the time or always getting the kind of help they need when they feel sad, empty, hopeless, angry or anxious.	NA	NA	NA	NA	21.9%	18.9%	NA	NA
Those who reported feeling so sad or hopeless almost every day for 2 weeks or more in a row that they stopped doing some usual activities in the <u>past 12 months</u> .	24.3%	21.2%	20.5%	21.7%	19.6%	22.1%	24.6%	29.9%
Those who reported purposely trying to hurt themselves without wanting to die, such as cutting or burning themselves on purpose during <u>past 12 months</u> .	NA	NA	NA	NA	11.9%	15.3%	17.3%	NA
Those who seriously considered attempting suicide in the <u>past 12 months</u> .	18.1%	12.0%	10.9%	12.5%	15.1%	15.2%	13.2%	17.7%
Those who attempted suicide 1 or more times during the <u>past 12 months</u> .	10.3%	6.1%	5.6%	6.4%	6.9%	8.9%	6.0%	14.6%
Those who made a suicide attempt resulting in an injury, poisoning, or overdose that had to be treated by a medical professional during the <u>past 12 months</u> .	4.3%	6.3%	6.8%	2.1%	2.8%	3.1%	2.5%	8.6%
Those who reported being treated by a doctor or other mental or emotional health problem during their <u>life</u> .	NA	NA	NA	NA	24.7%	23.0%	NA	NA
<b>Safety</b>								
Students who reported wearing a seatbelt rarely or never when riding in a car driven by someone else.	11.5%	8.1%	5.6%	5.2%	4.3%	6.0%	8.3%	6.1%

Shading indicates the negative trend and local rate above US, Wisconsin and/or Wood County if available.

Four Drug Free Communities (DFC) Substance Use Measures are italicized.

NA = Not applicable and/or question was not available

Survey Question	Marshfield <sup>1</sup>	Marshfield <sup>2</sup>	Marshfield <sup>3</sup>	Marshfield <sup>4</sup>	Marshfield <sup>5</sup>	Wood Co <sup>6</sup>	WI <sup>7</sup>	US <sup>8</sup>
	2011	2012	2013	2015	2017	2017	2013	2015
<b>Safety</b>								
Students who reported texting or emailing while driving a car or other vehicle in the <u>past 30 days</u> .	NA	NA	NA	NA	36.1%	35.4%	47.9%	61.3%
Students who reported talking on a cell phone while driving a car or other vehicle in the <u>past 30 days</u> .	NA	NA	NA	NA	34.5%	35.4%	NA	NA
Those who rode 1 or more times, in the <u>past 30 days</u> , in a car or other vehicle driven by someone who had been drinking alcohol.	24.1%	18.8%	26.1%	15.9%	20.8%	18.7%	20.6%	20.0%
Those who drove a car or other vehicle 1 or more times, in the <u>past 30 days</u> , when they had been drinking alcohol.	NA	NA	NA	6.5%	7.4%	6.0%	8.9%	7.8%
Those who rode 1 or more times, in the <u>past 30 days</u> , in a car or other vehicle by someone who had been smoking marijuana.	NA	NA	NA	NA	13.2%	13.9%	NA	NA
Those who drove a car or other vehicle 1 or more times, in the <u>past 30 days</u> , when they had been smoking marijuana.	NA	NA	NA	NA	6.9%	7.1%	NA	NA
<b>Violence</b>								
Those who carried a weapon such as a gun, knife or club <u>on school property</u> on at least 1 day in the <u>past 30 days</u> .	NA	NA	NA	NA	2.1%	4.7%	3.2%	4.1%
Those who were threatened or injured with a weapon such as a gun, knife or club <u>on school property</u> 1 or more times in the <u>past 12 months</u> .	NA	NA	NA	NA	2.3%	4.1%	4.3%	6.0%
Those who did not go to school on at least 1 day during the <u>past 30 days</u> because they felt they would be unsafe at school or on their way to or from school.	6.6%	3.3%	4.7%	2.4%	4.8%	6.8%	5.8%	5.6%
Those who were in a physical fight 1 or more times in the <u>past 12 months</u> .	22.8%	21.9%	20.2%	14.8%	16.2%	17.3%	22.4%	22.6%
<b>Other Health Related Topics</b>								
Those who saw a dentist for a check-up, exam, teeth cleaning or other dental work during the <u>past 12 months</u> .	NA	NA	NA	84.8%	79.5%	76.3%	81.6%	74.4%
Those who saw a doctor or nurse for a check-up or physical exam when they were not sick or injured in the <u>past 12 months</u> .	NA	NA	NA	NA	71.2%	63.7%	NA	NA
Those who strongly agree or agree that their family loves them and gives them help and support when needed.	83.9%	87.1%	86.6%	89.2%	85.9%	82.9%	NA	NA

Shading indicates the negative trend and local rate above US, Wisconsin and/or Wood County if available.

Four Drug Free Communities (DFC) Substance Use Measures are italicized.

NA = Not applicable and/or question was not available



Survey Question	Marshfield <sup>1</sup>	Marshfield <sup>2</sup>	Marshfield <sup>3</sup>	Marshfield <sup>4</sup>	Marshfield <sup>5</sup>	Wood Co <sup>6</sup>	WI <sup>7</sup>	US <sup>8</sup>
	2011	2012	2013	2015	2017	2017	2013	2015
<b>Other Health Related Topics</b>								
Those who strongly agree or agree that they belong at their school.	69.8%	75.0%	65.2%	69.5%	68.9%	64.3%	73.7%	NA
Those who have at least 1 teacher or other adult at their school they can talk to if they have a problem.	NA	NA	NA	NA	78.3%	72.3%	74.1%	NA
Those who have at least 1 adult other than their parents who they would feel comfortable seeking help from.	82.9%	87.5%	89.4%	90.3%	87.0%	85.2%	NA	NA
Those who strongly agree or agree that school staff enforce the rules for student behavior and conduct	NA	NA	NA	NA	68.3%	63.1%	NA	NA
Those who get <u>less</u> than 8 hours of sleep on an average school night.	NA	NA	NA	NA	70.0%	73.0%	65.0%	72.7%

1. 2011 Wisconsin Youth Risk Behavior Survey (YRBS) taken by 514 Marshfield High School and Marshfield Columbus Catholic High School 10<sup>th</sup> and 12<sup>th</sup> grade students.
2. 2012 Wisconsin Youth Risk Behavior Survey (YRBS) taken by 543 Marshfield High School and Marshfield Columbus Catholic High School 10<sup>th</sup> and 12<sup>th</sup> grade students.
3. 2013 Wisconsin Youth Risk Behavior Survey (YRBS) taken by 322 Marshfield High School and Marshfield Columbus Catholic High School 10<sup>th</sup> and 12<sup>th</sup> grade students.
4. 2015 Wisconsin Youth Risk Behavior Survey (YRBS) taken by 567 Marshfield High School and Marshfield Columbus Catholic High School 10<sup>th</sup> and 12<sup>th</sup> grade students.
5. 2017 Wisconsin Youth Risk Behavior Survey (YRBS) taken by 562 Marshfield High School and Marshfield Columbus Catholic High School 10<sup>th</sup> and 12<sup>th</sup> grade students.
6. 2017 Wisconsin Youth Risk Behavior Survey (YRBS) taken by 1,309 Wood County High School 10<sup>th</sup> and 12<sup>th</sup> grade students.
7. 2013 Wisconsin Youth Risk Behavior Survey (YRBS) taken from the World Wide Web on March 20, 2014: [http://sspw.dpi.wi.gov/sspw\\_yrbsindx](http://sspw.dpi.wi.gov/sspw_yrbsindx).
8. Youth Risk Behavior Surveillance – United States, 2015 taken from the World Wide Web on June 16, 2016: [https://www.cdc.gov/healthyyouth/data/yrbs/pdf/2015/ss6506\\_updated.pdf](https://www.cdc.gov/healthyyouth/data/yrbs/pdf/2015/ss6506_updated.pdf)

Shading indicates the negative trend and local rate above US, Wisconsin and/or Wood County if available.

Four Drug Free Communities (DFC) Substance Use Measures are italicized.

NA = Not applicable and/or question was not available